

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6518	("382103,104,106,107"). PN. or ((340/435,477,686. 9,961,988,990) or (701/96,117,300,301)). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/11/01 10:31
L2	5427	1 and (recogni\$4 or detect\$4 or identif\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:31
L3	1861	2 and (camera\$3 or CCD or video\$3 or captur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:31
L4	1760	3 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:35

L5	1552	4 and distanc\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:32
L6	663	5 and target\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:32
L7	59	6 and compress\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:32
L8	26310	("382103,104,106,107, 166,232,233,235,243, 244").PN. or ((340/435, 477,686.9,961,988,990) or (701/96,117,300,301)). CCLS. or ("704").CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/11/01 10:31
L9	20854	8 and (recogni\$4 or detect\$4 or identif\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:31

L10	6618	9 and (camera\$3 or CCD or video\$3 or captur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:37
L11	6260	10 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:32
L12	2945	11 and distanc\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:32
L13	1158	12 and target\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:32
L14	309	13 and compress\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:36

L15	119	14 and (vehicle\$4 or car or automobile\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 10:44
L16	55	15 and vertical\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 10:34
L17	18	16 and lateral	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 10:37
L18	0	17 and parallax\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 10:34
L19	3996	8 and ((calculated\$4 or computed\$4 or measured\$4) near\$4 (distance\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 10:43

L20	204	19 and ((compress\$4) near4 (unit\$4 or apparatus or system or device))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:45
L21	85	20 and (camera\$3 or CCD or video\$3 or captur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:43
L22	1	21 and (lateral\$3 near4 direction\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:42
L23	7	21 and (lateral\$3 same direction\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:40
L24	0	21 and gradation	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:46

L25	59	21 and extract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:44
L26	43	25 and group\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:42
L27	280	8 and (lateral\$3 near4 direction\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:42
L28	157	27 and ((calculat\$4 or comput\$4 or measur\$4) near4 (distanc\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:43
L29	103	28 and (camera\$3 or CCD or video\$3 or captur\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:43

L30	101	29 and (vehicl\$4 or car or automobil\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:44
L31	49	30 and extract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:44
L32	1	31 and ((compress\$4) near\$4 (unit\$4 or apparatus or system or device))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:45
L33	6	31 and gradation	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/01 10:46


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((target <and> detect* <and> compress* <and> camera* <and> vehicle)<in>..."

Your search matched 2 of 1253851 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

Display Format:



Citation



Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select

Article Information:

**1. Smart cameras with real-time video object generation**

Del Bue, A.; Comaniciu, D.; Ramesh, V.; Regazzoni, C.;
Image Processing. 2002. Proceedings. 2002 International Conference on
Volume 3, 24-28 June 2002 Page(s):III-429 - III-432 vol.3
Digital Object Identifier 10.1109/ICIP.2002.1038997

[AbstractPlus](#) | Full Text: [PDE\(392 KB\)](#) IEEE CNF**2. Command, control and data transport for underwater robots using acoustic communication:**

Green, D.; Bernstein, C.;
Underwater Technology, 2002. Proceedings of the 2002 International Symposium on
16-19 April 2002 Page(s):343 - 348
Digital Object Identifier 10.1109/UT.2002.1002450

[AbstractPlus](#) | Full Text: [PDE\(651 KB\)](#) IEEE CNF
 Indexed by
[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(target\$4 and (recogni\$4 or identif\$4 or detect\$4) and (video\$3 or CCD or captur\$ or cameras) and (calculat\$4 or comput\$4 or measur\$4) and compress\$4 and lateral and direction and vehicle). CLM.	US-PGPU B	AND	ON	2005/11/01 10:58